































Detailed chart listing of all ECO Wiring Ducts.




	Cross Section	Side Hole Specs				Bottom Hole Specs
		H	T	L	LL	
KDE-23-20			/	/	/	
	Length (mm)				2,000	
	Wire Capacity (N2sq)				15	
	Quantity (sets)				10	
KDE-24-20			/	/	/	
	Length (mm)				2,000	
	Wire Capacity (N2sq)				40	
	Quantity (sets)				10	
KDE-44-20			/	/	/	
	Length (mm)				2,000	
	Wire Capacity (N2sq)				60	
	Quantity (sets)				10	
KDE-64-20			/	/	/	
	Length (mm)				2,000	
	Wire Capacity (N2sq)				100	
	Quantity (sets)				10	
KDE-26-20			/	/	/	
	Length (mm)				2,000	
	Wire Capacity (N2sq)				60	
	Quantity (sets)				10	
KDE-36-20			/	/	/	
	Length (mm)				2,000	
	Wire Capacity (N2sq)				65	
	Quantity (sets)				10	




KDE-46-20	Cross Section 	Side Hole Specs				Bottom Hole Specs 
		H	T	L	LL	
						
	Length (mm)					2,000
	Wire Capacity (N2sq)					90
	Quantity (sets)					10

KDE-66-20	Cross Section 	Side Hole Specs				Bottom Hole Specs 
		H	T	L	LL	
						
	Length (mm)					2,000
	Wire Capacity (N2sq)					130
	Quantity (sets)					10




KDE-38-20	Cross Section 	Side Hole Specs				Bottom Hole Specs 
		H	T	L	LL	
						
	Length (mm)					2,000
	Wire Capacity (N2sq)					90
	Quantity (sets)					10

KDE-48-20	Cross Section 	Side Hole Specs				Bottom Hole Specs 
		H	T	L	LL	
						
	Length (mm)					2,000
	Wire Capacity (N2sq)					120
	Quantity (sets)					10




KDE-68-20	Cross Section 	Side Hole Specs				Bottom Hole Specs 
		H	T	L	LL	
						
	Length (mm)					2,000
	Wire Capacity (N2sq)					200
	Quantity (sets)					10

KDE-88-20	Cross Section 	Side Hole Specs				Bottom Hole Specs 
		H	T	L	LL	
						
	Length (mm)					2,000
	Wire Capacity (N2sq)					260
	Quantity (sets)					10




KDE-410-20

Cross Section	Side Hole Specs				Bottom Hole Specs
	H	T	L	LL	
					
Length (mm)				2,000	
Wire Capacity (N2sq)				160	
Quantity (sets)				10	




KDE-610-20

Cross Section	Side Hole Specs				Bottom Hole Specs
	H	T	L	LL	
					
Length (mm)				2,000	
Wire Capacity (N2sq)				240	
Quantity (sets)				10	

KDE-810-20

Cross Section	Side Hole Specs				Bottom Hole Specs
	H	T	L	LL	
					
Length (mm)				2,000	
Wire Capacity (N2sq)				270	
Quantity (sets)				10	

KDE-1010-20

Cross Section	Side Hole Specs				Bottom Hole Specs
	H	T	L	LL	
					
Length (mm)				2,000	
Wire Capacity (N2sq)				340	
Quantity (sets)				6	